Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S84	224	((network) adj (parameter$1 or data or information)) with throughput	US-PGPUB; USPAT; USOCR; EPO	OR	ON	2005/10/28 09:15
S85	243693	((receiv$3 or transmit$4 or send$3) near (parameter$1 or data or information)) with (device or computer or unit or terminal or PDA or mobile or cellular or phone or radiotelephone)	US-PGPUB; USPAT; USOCR; EPO	OR	ON	2005/10/28 10:50
S86	94	S84 and S85	US-PGPUB; USPAT; USOCR; EPO	OR	ON	2005/10/28 10:04
S87	1	"20020178118"	US-PGPUB; USPAT; USOCR; EPO	OR	ON	2005/10/28 10:46
S88	201	((measur$3 or estimat$3 or calculat$3) with (network adj performance)) same (parameter$1 or throughput or RSSI or QOS)	US-PGPUB; USPAT; USOCR; EPO	OR	ON	2005/10/28 10:52
S89	71	S85 AND S88	US-PGPUB; USPAT; USOCR; EPO	OR	ON	2005/10/28 10:50
S90	66	S89 not S86	US-PGPUB; USPAT; USOCR; EPO	OR	ON	2005/10/28 10:50
S91	304	(measur$3 or estimat$3 or calculat$3) with (data adj throughput)	US-PGPUB; USPAT; USOCR; EPO	OR	ON	2005/10/28 10:53
S92	16	S88 and S91	US-PGPUB; USPAT; USOCR; EPO	OR	ON	2005/10/28 10:53
S93	963	(estimat$3 or calculat$3 or measur$3) adj (throughput)	US-PGPUB; USPAT; USOCR; EPO	OR	ON	2005/11/14 11:27
S94	1706	(estimat$3 or calculat$3 or measur$3) near (throughput)	US-PGPUB; USPAT; USOCR; EPO	OR	ON	2005/11/14 15:40

S95	7	((estimat$3 or calculat$3 or measur$3) near (throughput)) with ((RSSI) or (signa near strength$1) or (indicator) or (quality adj indicator$1))	US-PGPUB; USPAT; USOCR; EPO	OR	ON	2005/11/14 11:36
S96	12	((estimat$3 or calculat$3 or measur$3) near (throughput)) with (((mobile or wireless or comput$3) adj (device$1 or terminal$1 or unit$1)) or phone or radiotelephone or PDA or telephone)	US-PGPUB; USPAT; USOCR; EPO	OR	ON	2005/11/14 11:49
S97	30	((estimat$3 or calculat$3 or measur$3) near (throughput)) same (((mobile or wireless or comput$3) adj (device$1 or terminal$1 or unit$1)) or phone or radiotelephone or PDA or telephone)	US-PGPUB; USPAT; USOCR; EPO	OR	ON	2005/11/14 11:50
S98	18	S97 not S96	US-PGPUB; USPAT; USOCR; EPO	OR	ON	2005/11/14 11:50
S99	110	S94 and ((RSSI) or (SIR) or (signal near strength$1) or (dropped adj call$1) or (signal adj interference adj ratio))	US-PGPUB; USPAT; USOCR; EPO	OR	ON	2005/11/14 15:14
S100	1	"6901051".pn.	US-PGPUB; USPAT; USOCR; EPO	OR	ON	2005/11/14 15:14
S101	1	S100 and (database or storage or stor$3)	US-PGPUB; USPAT; USOCR; EPO	OR	ON	2005/11/14 15:14
S102	10	((estimat$3 or calculat$3 or measur$3 or measurement$1) near (throughput)) with ((RSSI) or (RSS) or (signal near strength$1) or (SIR) or (signal adj interference adj ratio) or (Q/I) or (quality adj indicator$1))	US-PGPUB; USPAT; USOCR; EPO	OR	ON	2005/11/14 15:49
S103	18	((estimat$3 or calculat$3 or measur$3 or measurement$1) near (throughput)) same ((RSSI) or (RSS) or (signal near strength$1) or (SIR) or (signal adj interference adj ratio) or (Q/I) or (quality adj indicator$1))	US-PGPUB; USPAT; USOCR; EPO	OR	ON	2005/11/14 15:58
S104	6	((estimat$3 or calculat$3 or measur$3 or measurement$1) near (throughput)) with modem	US-PGPUB; USPAT; USOCR; EPO	OR	ON	2005/11/14 16:02

S10 5	1	((estimat$3 or calculat$3 or measur$3 or measurement$1) near (throughput)) with ((receiv$3 or acquir$3) near (parameter$1 or variable$1 or indicator$1 or value$1)) with (device$1 or terminal$1 or unit$1 or computer$1 or phone$1 or radiotelphone or mobile$1)	US-PGPUB; USPAT; USOCR; EPO	OR	ON	2005/11/14 16:07
S10 6	0	((estimat$3 or calculat$3 or measur$3 or measurement$1) near (throughput)) same ((receiv$3 or acquir$3) near (parameter$1 or variable$1 or indicator$1 or value$1)) near (device$1 or terminal$1 or unit$1 or computer$1 or phone$1 or radiotelphone or mobile$1)	US-PGPUB; USPAT; USOCR; EPO	OR	ON	2005/11/14 16:08
S10 7	1	((estimat$3 or calculat$3 or measur$3 or measurement$1) near (throughput)) same ((receiv$3 or acquir$3) near (parameter$1 or variable$1 or indicator$1 or value$1)) with (device$1 or terminal$1 or unit$1 or computer$1 or phone$1 or radiotelphone or mobile$1)	US-PGPUB; USPAT; USOCR; EPO	OR	ON	2005/11/14 16:09
S10 8	1	((estimat$3 or calculat$3 or measur$3 or measurement$1) near (throughput)) same ((receiv$3 or acquir$3) near ((RSSI) or (RSS) or (signal near strength$1) or (SIR) or (signal adj interference adj ratio) or (Q/I) or (quality adj indicator$1) or parameter$1 or variable$1 or indicator$1 or value$1)) with (device$1 or terminal$1 or unit$1 or computer$1 or phone$1 or radiotelphone or mobile$1)	US-PGPUB; USPAT; USOCR; EPO	OR	ON	2005/11/14 16:10
S10 9	50	((estimat$3 or calculat$3 or measur$3 or measurement$1) near (throughput)) and ((receiv$3 or acquir$3) near ((RSSI) or (RSS) or (signal near strength$1) or (SIR) or (signal adj interference adj ratio) or (Q/I) or (quality adj indicator$1) or parameter$1 or variable$1 or indicator$1 or value$1)) with (device$1 or terminal$1 or unit$1 or computer$1 or phone$1 or radiotelphone or mobile$1)	US-PGPUB; USPAT; USOCR; EPO	OR	ON	2005/11/14 16:13